


Universe	Professional
Туре	Verticality
Category	Helmets
Subcategory	Comfortable helmets



## VERTEX® BEST

With its strong chinstrap, the VERTEX BEST helmet sets the standard in head protection for workers at height. Its unventilated shell protects against electrical hazards and molten metal splash. Its six-point textile suspension ensures maximum comfort, and its CenterFit adjustment system adjusts the headband and keeps the helmet centered on the head. The VERTEX BEST is designed for optimal attachment of a PIXA or ULTRA VARIO headlamp, a VIZIR, VIZIR SHADOW or VIZEN protective shield, and hearing protection.



The headband is adjusted by simultaneously operating the two CenterFit adjustment wheels. The adjustment wheels are easy to manipulate while wearing gloves. The CenterFit system allows the helmet to be perfectly centered on the head for a better fit.



Petzl helmets adapt to your lighting needs and additional protection requirements in seconds.



Short Description	Comfortable helmet for work at height and rescue			
Selling Points	<ul> <li>Optimal protection for work at height:</li> <li>shock absorption achieved through deformation of the outer shell</li> <li>its closed shell offers protection against electrical risk and molten metal splash</li> <li>strong chinstrap (more than 50 daN) limits the risk of losing the helmet during a fall</li> <li>Very comfortable to wear:</li> <li>six-point textile suspension conforms perfectly to the shape of the head</li> <li>CenterFit adjustment system adjusts the headband and keeps the helmet centered on the head</li> <li>comes with two sizes of headband foam</li> <li>Many accessories are available in order to adapt the helmet to its use:</li> <li>PIXA or ULTRA VARIO headlamp (front and back slots)</li> <li>headlamp with elastic headband (headlamp clips)</li> <li>VIZIR, VIZIR SHADOW or VIZEN protective shield (side inserts)</li> <li>hearing protection (side slots)</li> </ul>			
Specification	<ul> <li>Head circumference: 53-63cm</li> <li>Weight: 455g</li> <li>Material(s): ABS, nylon, polycarbonate, high-strength polyester, polyethylene</li> <li>Certification(s): CE*, ANSI Z89.1-2009 type I classe E</li> <li>* Meets the requirements of the EN 397 and EN 12492 standards for impact protection. Meets the requirements of the EN 397 and EN 50365 standards for electrical insulation. Meets the optional requirements of the EN 397 standard for molten metal spray, lateral deformation and use in low temperatures.</li> </ul>			

## Specifications by reference

Reference(s)	A10BYA	A10BWA	A10BRA	A10BNA
Color(s)	yellow	white	red	black
Made in	FR	FR	FR	FR
Guarantee	3 years	3 years	3 years	3 years
Packing	1	1	1	1
Case quantity	8	8	8	8
EAN	3342540089839	3342540089846	3342540089822	3342540089808

Reference(s)	A10BOA	A10BBA	A10BYA HV
Color(s)	orange	blue	high-visibility yellow
Made in	FR	FR	FR
Guarantee	3 years	3 years	3 years
Packing	1	1	1
Case quantity	8	8	8
EAN	3342540089815	3342540089792	3342540105089

Accessory(ies) VIZIR VIZIR SHADOW VIZEN Reflective stickers Absorbent foam

Related product(s)

PIXA® 3R

